

55

PERFECTING THE PRINTING INDUSTRY



"Sigma-Nip[®] is an extremely helpful tool for troubleshooting in printing presses and has saved my colleagues and I significant amounts of time. It allows us to assess what is happening where the actual printing takes place and quickly get to the source of the problem. This is a new tool for us and the industry, but I foresee more and more printers starting to use this system as people begin to see its advantages."

ABITIBI CONSOLIDATED, Don Jordan

MANIP

SSIGI

"We are still learning how the Sigma-Nip[®] system works and how to correlate the readings to product performance. However, the tool is easy to use, highly repeatable and I believe an excellent analysis tool that will help us improve product quality in the long run."

CYTEC USA, Tommy Vanhorne

Sigma-Nip[®] — a real-time nip analysis system used to ascertain parallelism, loading issues and printing blanket height uniformity.

MANIP

Sigma-Nip[®] presents a revolution in quality control. For the first time ever technicians are able to accurately, efficiently and economically measure roller profiles and alignment condition. Sigma-Nip[®] consists of a series of thin-film resistive ink transducers on a carrier sheet. As this carrier sheet is loaded in between your rollers the Windows-based software assimilates the readings into easily interpretable graphical images – all in real time.

A REVOLUTION IN QUALITY CONTROL

WHAT IS SIGMA-NIP[®]?

Sigma-Nip[®] consists of a series of sensor elements that are placed in between two contacting rollers. Immediately upon closing of rolls, the sensor begins recording precise nip width measurements allowing you instantaneously determine whether your rollers are aligned properly and are squeezing together sufficiently.

\sum

DESIGNED FOR PRODUCTIVITY

Sigma-Nip[®] comes complete with everything you need to quickly and accurately take nip impressions.

Sigma-Nip[®] is designed with the intention of being used during routine maintenance or setup and is quickly applied across the roller surface by just one person. The system is modular and portable and quickly connects to the USB port on any standard Windows laptop.



Close up view of single sensor element

WHY USE SIGMA-NIP®?

Proper roller alignment and pressure level are critical for both print clarity and web control. An evenly loaded roller set is much less likely to cause costly web breaks and sheet "walking", wrinkles, or fold-overs. Simply by virtue of routine tests, Sigma-Nip allows the user to greatly extend blanket life. Uneven blanket wear, and permanent, compression or "memory set" maximizes on-press life.

SIGMA-NIP[®] TECHNOLOGY

Through the application of sophisticated mathematical algorithms, Sigma-Nip[®] is able to discern the contact profile of the machine's cross direction with a higher degree of accuracy never before attainable. Each sensor is individually calibrated, serialized and carefully assembled to exacting tolerances. The sensor is designed to withstand repeated high pressures, conform to radiused surfaces and routine exposure to grease, liquids and inks.

SENSOR SPECIFICATIONS	
Sensor Technology	Resistive Ink
Active Sensor Area	8.4 in (21.3 cm)
Sensor Thickness	15 mils (0.381 mm)
Temp. Range	0°F to 300°F (-17.7°C to 150°C)
Resolution	0.05 in (0.13 cm)
Nip Width Range	0.15 in to 8.4 in (0.38 cm to 21.3 cm)
Min. Pressure	40 PSI (2.8 kg/cm ²)
Max. Pressure	10,000 PSI (703 kg/cm ²)
Cycle Speed	1 FPS
Accuracy	± 6%
Repeatability	± 98%
Weight per Element	8 oz (226.8 gr)
Compatibility	Windows [®] 2000/ XP/ Vista/ 7



Sensor Products Inc. 300 Madison Avenue Madison, NJ 07940 USA Phone: 1.973.884.1755 Fax: 1.973.884.1699 info@sensorprod.com



Sigma-Nip[®] can be positioned at any nip point within the printing unit section. The above illustration shows two potential nips / positions.



Highly detailed information about your nip condition

www.sensorprod.com

©2012 Sensor Products Inc. gma-Nip® is protected under patent #5,821,433 Undated 12-20-12