

# **Mattress Pressure Mapping**



**Retail Mattress Pressure Profiling System** 


### **About Bodyfitter® System**

Sensor Products Inc. offers our Bodyfitter® mattress selection system with the intention of enabling the consumer to purchase a truly well fitted mattress. Customers will not only leave with the assurance of a scientifically validated mattress decision, which minimizes post-purchase dissonance, but will associate your name with the progressive use of high technology, science and exactitude.

The Bodyfitter® system is designed to allow the manufacturer or retailer to measure pressure distribution and magnitude between the customer and mattress surface. Bodyfitter® captures data from a series of sensor points distributed across the sleeping surface and assimilates the data into our powerful iOS - based software providing you with colorized pressure "maps" (pictured above).



### **Mattress Pressure Mapping**



### was the best fit

This mattress


#### **What the Bodyfitter Comparison System does:**

Bodyfitter 2C allows the retailer to quickly and easily transport the Wi-fi based mattress pressure sensor moving from one mattress to another with your customer, culminating in a powerful yet simple final analysis that presents the optimal mattress for their body type. Bodyfitter 2C runs on an iOS tablet and is touch screen based affording quick customer pressure mapping flow that is essential in the retail environment. In just minutes Bodyfitter 2C will allow your customer to be pressure mapped on up to four mattresses. Through a sophisticated proprietary algorithm that takes into consideration BMI\*, average pressure, and body contact area we're able to assure that your customer receives the best possible mattress for their body type.

#### **Key Propositions**







Lends "scientific" validity to an otherwise subjective process.

Vastly improve your ability to track sales performance, effectiveness and efficiency.

Sharply reduces comfort exchanges.


<sup>\*</sup> Body Mass Index. We calculate a close proxy that emulates BMI.



## Mattress Pressure Mapping

#### **Data Collection:**

Bodyfitter 2C not only creates a polished and refreshing user-experience for your customer but generates lots of useful data for your store. The software collects a good deal of customer specific data including their sleeping and mattress preferences (optional) as well as their contact details and body pressure mapped image. All conveniently stored in the cloud.





### **Economics and Rationalization**

# In store trials reveal an astounding 12% increase in closure rate simply by using Bodyfitter!

### **Attributing Factors**

- Customer perception that there is scientific validity to their decision making process.
- The Bodyfitter® system alleviates the natural inclination for extensive testing of mattresses.
   Fewer alternatives mean an easier purchase decision for the customer.
- The visual image generated by Bodyfitter®
  heightens the customer's sensory awareness
  and stimulates greater opportunity for
  actionable behavior.
- The power of the instantly redeemable POP 10% discount coupon has a significant effect on sale closure.

Close Rate Before Bodyfitter® Implementation

**}** 68.7%

Close Rate After
Bodyfitter® Implementation

**}** 76.9%

( 12% Increase )

Percent of Body mapped Walk-ins	Annual Revenue Increase from Bodyfitter® Usage
12.5%	(US) \$22,435
25.0%	(US) \$44,871
50.0%	(US) <b>\$89,742</b>
75.0%	(US) \$134,614
100.0%	(US) \$179,485
	mapped Walk-ins  12.5%  25.0%  50.0%  75.0%

Anticipated Goal

#### **Assumptions:**

Average mattress price: (US) \$850 Store days per year: 320

All figures are in USD.

**Bodyfitter® System Price** 

Avg. Revenue Increase per Use

**Expected Payback Time** 









# What's Included in the Package



#### **Bodyfitter Software**

System Specifications	
Technology	Piezoresistive
Built-in Wireless Range	Up to 164 ft (50 m)
Pressure Range	0 - 2 PSI (0 - 103.4 mmHg)
Grid Matrix	Up to 64 x 27 lines
Number of Sensing Points	Up to 1,728
Sensing Point Size	1" x 1" (2.54 cm x 2.54 cm)
Total Area	78.3" x 35.4" (198.8 cm x 89.8 cm)
Active Sensing Area	72.8" x 30" (185 cm x 76 cm)
Usable Temperature Range	10° C - 40° C
Thickness	2.5 mm
Accuracy	± 10%
Repeatability	± 2%
Hysteresis	± 5%
USB Cable length	6 ft (1.8 m)
Operating System	iOS

#### **Mattress Pressure Sensor**





300 Madison Avenue Madison, NJ 07940 USA Phone: 1.973.884.1755 www.sensorprod.com